



KOAMTAC

Scan and Charge Galaxy Tab Active2

Rugged ▶ Powered ▶ Designed ▶ Connected ▶ Equipped ▶

This bluetooth barcode sled scanner is the culmination of decades of engineering and human-centered design experience focused on maximizing efficiency and minimizing costs of auto-identification in any industry.

Rugged

The KDC470/475 are IP65-rated and have a 5' drop spec. This means the device is dust tight and water resistant; it's ideal for any environment.

Powered

Advanced power management puts the scanner in "hibernation mode" when not actively in use, allowing the battery to outlast an average work shift. When power does run out, charging is easy with a Micro USB connector, charging cradle, replacing the battery through the slot on the side, or using optional extended battery.

Designed

The KDC470/475 attaches to any smart device via a case for a sled scanning solution. This unique modular design allows you to upgrade your smart device without worrying about replacing the entire barcode/RFID solution.

Connected

Bluetooth® allows seamless connectivity with any device.

Equipped

The KDC470/475 allows for several enhancements including RFID, extended battery, and pistol grip companions - expanding the many ways you can collect data with the device.

Coming in 1D Laser, 1D CCD, and 2D Imager models the KDC470/475 is able to read all major symbologies. 8 MB of on-board memory stores over 400,000 UPC product barcodes and allows basic applications to run right on the device.

KTSync® software with keyboard wedging, application generation, database look up, inventory management, and KDC configuration features is included for Android and Windows devices. Complementary SDK and technical support from top engineers and the development team ensure ease of data collection in any situation.



116 Village Blvd, Suite 305, Princeton, NJ 08540 USA
T: +1-609-256-4700 F: +1-609-228-4373
info@koamtac.com www.koamtac.com

© 2019 KOAMTAC, Inc.
GTA2Accessories — 190916

Galaxy Tab Active2 SmartSled Case + KDC470/475

- Turn your Galaxy Tab Active2 into a high-powered data collector
- Drop Spec: 5 feet (1.5m)
- Interfaces: Bluetooth® V2.1 + EDR, Class 2, HID/SPP
- Memory Flash ROM: 8MB User Memory
- NFC/HF, UHF, Pistol Grip, and Extended Battery
- Compatible with 1-slot and 4-slot Charging Cradle (info on back)

Power:

- Lithium-Ion, 1130 mAh
- Charge via USB connector or Charging Cradle

Model Options Include:

- 1D Laser or CCD
- 2D CMOS Imager



Galaxy Tab Active2 Portable Battery Charger

- Durable and protective case charges while on-the-go
- Thin profile means you can slip it into a bag or pocket and carry it anywhere.
- USB 3.0 connector for fast charging via USB port
- Optional spare 4450mAh battery can be purchased separately

Charging Specs:

- Charging Current 900mAh
- LED Indicator

Dimensions:

3.72" x 5.58" x 0.55"
(94.43mm x 141.73mm x 14 mm)

Weight:

7.1 oz (200 g) with battery
4.1 oz (115 g) without battery

Galaxy Tab Active2 5-slot Battery Charger

- Charge and store up to 5 batteries at one time
- Ideal for swapping batteries at the end of the day - pick a new one, drop the depleted on in, and you're ready for action the next day!
- Enhanced charging protection ensures your battery life is protected
- Can connect several together to charge in multiples of five

Charging Specs:

- Adaptor: 12V/4A AC/DC
- Charging: 5V/900mAh per slot
- LED Indicator
- FCC, CE, KC Certified

Dimensions:

3.94" x 8.21" x 2.19"
(100mm x 208.5mm x 55.5 mm)

Weight:

10.9 oz (309 g) without battery
25.9 oz (734 g) with 5 batteries



Galaxy Tab Active2 Charging Cradle

- 2-slot charger allows for convenient charging of two tablets at a time
- Connect two 2-slot chargers using an adaptor for 4-slot configuration
- Comes complete with spacers for secure fit
- Enhanced charging protection

Charging Specs:

- Adaptor: 12V/4A AC/DC
- Charging: 5V/900mAh per slot
- LED Indicator
- CE Certified

Dimensions with Spacer (2-slot):

8.57" x 5.88" x 2.53"
(217.6mm x 149.3mm x 64.2mm)

Weight:

12.2 oz (345 g)

Dimensions with Spacer (4-slot):

17.14" x 11.76" x 5.06"
(435.2mm x 298.6mm x 128.4mm)

Weight:

24.4 oz (690 g)



1-slot KDC470/475 Charging Cradle

- Charge the KDC470/475 and Galaxy Tab Active2 at the same time
- Battery slot for extra KDC battery (sold separately)
- 2 USB Ports expand charging possibilities to even more devices

Charging Specs:

- Adaptor: 5.2V/4A AC/DC
- Charging: 5V/1.2A
- LED Indicators

Dimensions:

5.98" x 5.98" x 2.32" (152mm x 152mm x 59mm)

Weight:

12.2 oz (346 g)



4-slot KDC470 Charging Cradle

- Charge up to four Galaxy Tab Active2s and KDC470/475s at the same time
- Enhanced charging protection
- Perfect for companies of all sizes

Charging Specs:

- Adaptor: 12V/4A AC/DC
- Charging: 5V/1.2Ah per slot
- LED Indicators

Dimensions:

11.42" x 4.37" x 2.01"
(290mm x 111mm x 51mm)

Weight:

16.5 oz (468 g)

